

DESCRIPTION	ET 6	ET 10	ET 16	ET 35											
TERMINAL PITCH	8 mm (0.31 inch)	10 mm (0.39 inch)	12.5 mm (0.49 inch)	16.5 mm (0.65 inch)											
HEIGHT x WIDTH in mm (Inch)	45.5 x 43 (1.79 x 1.69)	45.5 x 43 (1.79 x 1.69)	52 x 45 (2.05 x 1.77)	63 x 58 (2.48 x 2.28)											
RATED CROSS SECTION	6 sq mm	10 sq mm	16 sq mm	35 sq mm											
CONNECTION Flexible	1.5 sq mm - 6 sq mm	1.5 sq mm - 10 sq mm	6 sq mm - 16 sq mm	6 sq mm - 35 sq mm											
POSSIBILITY Rigid	1.5 sq mm - 10 sq mm	1.5 sq mm - 16 sq mm	6 sq mm - 25 sq mm	6 sq mm - 35 sq mm											
WIRE STRIPPING LENGTH	13 mm	13 mm	13 mm	17 mm											
TYPE OF CONNECTION	2 screw clamps	2 screw clamps	2 screw clamps	2 screw clamps											
RATINGS IEC 60947-2	6 sq mm/0.8 Nm	10 sq mm/1.2 Nm	16 sq mm/1.2 Nm	35 sq mm/3 Nm											
	8-20 AWG/14 Lbln	6-16 AWG/17 Lbln	3-12 AWG/14 Lbln	1-8 AWG/32 Lbln											
SCREW SIZE	M3.5	M4	M4	M6											
TERMINAL TYPE	CAT #	STD. PKG.	WT/STD.PKG-KG	CAT #	STD. PKG.	WT/STD.PKG-KG	CAT #	STD. PKG.	WT/STD.PKG-KG	CAT #	STD. PKG.	WT/STD.PKG-KG			
ET 6	ET 6	50	1.54	ET 10	ET 10	50	1.83	ET 16	ET 16	50	2.34	ET 35	ET 35	25	2.77
END PLATE	Not Required			Not Required				Not Required				Not Required			
PARTITION PLATE WITH FOOT	KBXF	100	0.54	KBXF	100	0.54		KBZF	100	0.75		KBZF	100	0.75	
SUPPORT FOR PROTECTION COVER	UHDD	100	0.80	UHDD	100	0.80		UHDD	100	0.80		UHDD	100	0.80	
PROTECTION COVER	PCK 3	100	7.00	PCK 3	100	7.00		PCK 3	100	7.00		PCK 3	100	7.00	
END CLAMPS	SCKN	100	0.80	SCKN	100	0.80		SCKN	100	0.80		SCKN	100	0.80	
	SCUN	100	0.94	SCUN	100	0.94		SCUN	100	0.94		SCUN	100	0.94	
	SCUSL	50	0.63	SCUSL	50	0.63		SCUSL	50	0.63		SCUSL	50	0.63	
	SCUDD	50	0.64	SCUDD	50	0.64		SCUDD	50	0.64		SCUDD	50	0.64	
MARKING LABEL	Label KN 8	100 strips	0.12	Label KN 10	100 strips	0.15		Label KN 10	100 strips	0.15		Label KN 10	100 strips	0.15	
GROUP MARKING CARRIER	SCKNMLH	50	0.55	SCKNMLH	50	0.55		SCKNMLH	50	0.55		SCKNMLH	50	0.55	
	SCUNMLH	50	0.60	SCUNMLH	50	0.60		SCUNMLH	50	0.60		SCUNMLH	50	0.60	
MOUNTING CHANNEL	CHS 3/5/10	100/100/50	22/37/36	CHS 3/5/10	100/100/50	22/37/36		CHS 3/5/10	100/100/50	22/37/36		CHS 3/5/10	100/100/50	22/37/36	
STANDARD LENGTHS 300mm, 500mm, 1000mm	CHK 3/5/10	100/100/100	11/19/36	CHK 3/5/10	100/100/100	11/19/36		CHK 3/5/10	100/100/100	11/19/36		CHK 3/5/10	100/100/100	11/19/36	
	CHKS 3/5/10	100/100/100	11/17/34	CHKS 3/5/10	100/100/100	11/17/34		CHKS 3/5/10	100/100/100	11/17/34		CHKS 3/5/10	100/100/100	11/17/34	
	CHKDS 10	50	34.50	CHKDS 10	50	34.50		CHKDS 10	50	34.50		CHKDS 10	50	34.50	

elmex Earth Terminal Blocks replace conventional Bus Bar used for earthing. The structural design is such that the mounting rail not only has a mechanical but also an electrical function. Earthing is established through the foot which clamps directly onto the rail. Earth Terminal Blocks are mounted on the same rail along with other Terminal Blocks. The conducting part is Brass with Nickel-Tin plating, providing a low resistance path. Moreover, the housing is a Green-Yellow combination in accordance with universally accepted colour code for earthing.

